

FABRIC REQUIREMENTS:

A. Pattern #21015 – MUL1	1 ² / ₃ yards
	(backing)
B. Pattern #21016 – GRE1	2 yards
C. Pattern #21018 – RED1	
D. Pattern #21018 – DKTUR1	Fat Quarter
E. Pattern #21018 – GRE1	Fat Eighth
F Pattern #21018 – PUR1	Fat Eighth
G Pattern #21018 – PIN1	Fat Eighth
H. Pattern #21019 – YEL1	Fat Quarter
I. Pattern #21019 – BLU1	Fat Eighth
J. Pattern #21021 – ORA1	Fat Eighth
K. Pattern #21021 – DKGRE1	Fat Eighth
Batting crib size + one 20" square OR twin size batting	

CUTTING INSTRUCTIONS:

Please read all instructions carefully before beginning. Cut fabrics in the order given. 1/4" seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew.

B. Pattern #21016 – GRE1 (open floral):

1. Cut one 20" strip; subcut one 20" square. Use remainder of strip to cut nine $6^{1}/_{2}$ " squares.

2. Cut four 41/2" strips from the lengthwise grain of the fabric. Cut two strips $4^{1}/_{2}$ " x $42^{1}/_{2}$ " and two strips 41/2" x 461/2".

- 3. From the remaining width of the fabric, cut ten 61/2" squares, two $2^{1}/_{2}$ " x $14^{1}/_{2}$ " and two $2^{1}/_{2}$ " x $18^{1}/_{2}$ ".
- C. Pattern #21018 RED1 (tonal leaf):
 - 1. Cut four $2^{1}/_{2}$ " strips.
 - 2. Cut two 11/2" strips; subcut two 11/2" x 121/2" and two $1^{1}/_{2}$ " x $14^{1}/_{2}$ ".
- D. Pattern #21018 DKTUR1 (tonal leaf) and
- H. Pattern #21019 YEL1 (paisley):
 - 1. Place fabrics right sides together aligning selvages. Cut three 31/2" strips *perpendicular* to the selvage. These are for Four-Patch #1.
- E. Pattern #21018 GRE1 (tonal leaf) and
- J. Pattern #21021 ORA1 (geometric):
 - 1. Place fabrics right sides together aligning selvages. Cut two 3½" strips perpendicular to the selvage. These are for Four-Patch #2.
- F. Pattern #21018 PUR1 (tonal leaf) and
- I. Pattern #21019 BLU1 (paisley):
 - 1. Place fabrics right sides together aligning selvages. Cut two 31/2" strips perpendicular to the selvage. These are for Four-Patch #3.
- G. Pattern #21018 PIN1 (tonal leaf) and
- K. Pattern #21021 DKGRE1 (geometric):
 - 1. Place fabrics right sides together aligning selvages. Cut two 31/2" strips perpendicular to the selvage. These are for Four-Patch #4.

PIECING INSTRUCTIONS:

Four-Patch Blocks









Finished size: 6" square.

Make 6.

- Make 5. Make 4. Make 5.
- 1. Four-Patch #1 (Fabrics D & H): Sew each of the three strip sets together along one long edge. Press toward the dark turquoise strip. Cross-cut strip sets into a total of twelve 31/2" segments. Combine two segments and sew together to complete one four-patch block. Press. Repeat to make six blocks. Note that one of these blocks is used for the front of the pillow.
- 2. Four-Patch #2 (Fabrics E & J): Sew each of the two strip sets together along one long edge. Press toward the green strip. Cross-cut strip sets into a total of ten 31/2" segments. Combine two segments and sew together to complete one four-patch block. Press. Repeat to make five blocks.

- 3. Four-Patch #3 (Fabrics F & I): Sew each of the two strip sets together along one long edge. Press toward the purple strip. Cross-cut strip sets into a total of eight 31/2" segments. Combine two segments and sew together to complete one four-patch block. Press. Repeat to make four blocks.
- 4. Four-Patch #4 (Fabrics G & K): Sew each of the two strip sets together along one long edge. Press toward the green strip. Cross-cut strip sets into a total of ten 31/2" segments. Combine two segments and sew together to complete one four-patch block. Press. Repeat to make five blocks. Note that one of these blocks is used for the front of the pillow.

ASSEMBLING BLOCKS:


- 1. Refer to photo and quilt diagram to lay out four-patch blocks with [B] 61/2" squares.
- 2. Sew blocks together into rows. Press seams toward the [B] squares. Join rows together and press.

BORDERS:

- 1. Inner Border: Sew the four [C] 21/2" strips together end to end; press. Cut two $2^{1}/_{2}$ " x $34^{1}/_{2}$ " and two $2^{1}/_{2}$ " x $42^{1}/_{2}$ ". Sew one 421/2" strip to each side of the quilt; press. Sew one 341/2" strip to the top and bottom of the quilt; press.
- 2. Outer Border: Sew one [B] 41/2" x 461/2" strip to each side of the quilt; press. Sew one [B] $4^{1}/_{2}$ " x $42^{1}/_{2}$ " strip to the top and bottom of the quilt; press.


PILLOW POCKET:


- 1. Refer to photo and pillow diagram to assemble four-patch and alternate blocks using the same procedure as for the quilt.
- 2. Inner Border: Sew one [C] $1^{1}/2$ " x $12^{1}/2$ " to opposite sides of the pillow center; press. Sew one [C] $1^{1}/_{2}$ " x $14^{1}/_{2}$ " to the top and bottom; press.



Pillow Diagram

- 3. Outer Border: Sew one [B] 21/2" x 141/2" to opposite sides of the pillow center; press. Sew one [B] 21/2" x 181/2" to the top and bottom; press.
- 4. Note: If using a twin size batting, cut one 20" square from one corner of the batting. To assemble the pillow, layer in order: 20" batting square, [B] 20" square (right side up) and pillow top (right side down) Figure 1. The batting and backing will be larger than the pillow top so be sure to center the top. Trim all layers to match pillow top. Pin layers together. Using a 1/4" seam allowance, sew around all sides leaving an opening along one edge. Trim and clip corners. Turn pillow right sides out. Stitch opening closed.






5. You can hand or machine quilt the pillow or you can create ties with pearl cotton. The pillow is great practice for finishing the quilt itself!

COMPLETE THE PILLOW QUILT:

- 1. Press fabric [A] so that it is free of any creases. This will be your quilt backing.
- 2. Place the finished pillow face down on the right side of the backing. Center it at one end with the pillow edge placed 1/2" above the raw edge of the backing. Pin in place. Sew pillow in place along sides and bottom; leave top edge open as shown (Figure 2.)

3. Lay backing (right side up) and the quilt (right side down). Check to see that the backing covers all edges of the quilt. If not, you may need to trim the quilt slightly to match the width of the backing. However, that usually is not the case. Place batting under backing.








Figure 2

- allowance, sew around all sides leaving an opening along one end. Trim and clip corners. Turn quilt right sides out and stitch opening closed. Quilt or tie in the same manner as the pillow.
- 5. Sew a generous 1/4" from edges of quilt to create a nice finish and "mock binding".
- 6. Fold quilt in thirds lengthwise with folds facing front of the quilt. Fold lengthwise so that thirds are created with the pillow section being one of those sections. Turn pillow right side out while tucking the quilt into the pocket (Figure 3). You're finished!





Quilt Diagram



©2010 Red Rooster Fabrics. All rights reserved. Not intended for individual resale. The design for this Red Rooster Fabrics' pattern is protected by U.S. copyright law. Quilt stores: for additional copies of this pattern please call or write Red Rooster Fabrics at the address listed.

253 West 35th Street, 11th Floor, New York, NY 10001 • 401.728.4200 • www.redroosterfabrics.com