




Froggles

Fabric designed by Barb Sackel for Blank Quilting
Quilt designed by Heidi Pridemore for Blank Quilting
Finished Size is 43" x 43"



Froggles

Finished Size: 43" x 43"

Fabric designed by Barb Sackel for Blank Quilting
Quilt designed by Heidi Pridemore for Blank Quilting

Fabric Requirements:

Fabric A: 3/4 yd 6082 Pond

Fabric B: 1 yd 6085 Jade

Fabric C: 1/3 yd 6085 Moss

Fabric D: 1/2 yd 6085 Ivory

Fabric E: 1/2 yd 6085 Rose

Fabric F: 1/3 yd 6083 Multi

Fabric G: 1/2 yd 6084 Multi

Backing: 2 yds 6083 Multi

Cutting Instructions:

Fabric A: Cut five 8-1/2" squares

Fabric B: Cut twelve 1-1/2" x width of fabric (WOF) strips.

 Cut five 2-1/2" x WOF strips for binding

Fabric C: Cut six 1-1/2" x WOF strips.

Fabric D: Cut six 1-1/2" x WOF strips.

 Cut four 5-1/2" squares.

Fabric E: Cut four 5-1/2" squares.

 Cut sixty-four 2-1/2" squares.

Fabric F: Cut sixteen 4-1/2" squares.

Fabric G: Cut eight 4-7/8" squares.

 Cut two 2" x 40-1/2" strips and two 2" x 43-1/2" strips. Piece as needed.

Backing: Cut and piece the fabric to make one 51" square for the backing.

Assembly Instructions:

Sashing Squares and Sashing Strips–

1. To make one square-in-a-square block, place one 2-1/2" Fabric E square to the top left corner of one 4-1/2" Fabric F square, right sides together (Fig. 1). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric 1/4" from behind the triangle 1/4" away from the sewn seam.
2. Follow Figure 3 for the seam direction to add a 2-1/2" Fabric E square to each of the remaining corners of the 4-1/2" Fabric F square to make one sashing block.
3. Repeat Steps 1-2 to make sixteen sashing block.
4. Sew together four 1-1/2" x WOF strips in the following order: Fabric B, Fabric C, Fabric D and Fabric B, lengthwise to make one strip set. Repeat to make six 4-1/2" wide strip sets.
5. Cut the strip sets into twenty-four 4-1/2" x 8-1/2" sashing strips.




FIG. 1




FIG. 2



FIG. 3

Pinwheel Blocks–

6. Place one 5-1/2" Fabric D square on top of one 5-1/2" Fabric E square, right side together. Draw a line across the diagonal of the top square (Fig. 4). Sew 1/4" away from each side of the drawn diagonal line (Fig. 4). Cut the two squares apart on the drawn diagonal line (Fig. 5) to make two half-square triangles (Fig. 6).
7. Trim the blocks to measure 4-7/8" square.
8. Place one half-square triangle from Step 7 on top of one 4-7/8" Fabric G square, right sides together, with the lines on the fabric running vertically (Fig. 7). Draw a diagonal line across the top half-square triangle so that it goes through the sewn seam. Sew 1/4" away from both sides of the drawn line (Fig. 8). Cut on the drawn line to make two pinwheel quarters (Fig. 9). Repeat to make sixteen pinwheel quarters.
9. Follow the block layouts to make two pinwheel blocks going in one direction and two pinwheel blocks going in the other direction.




FIG. 4



FIG. 5



FIG. 6




FIG. 7






FIG. 8



FIG. 9



Block Layout A



Block Layout B

Quilt Top Assembly:

10. Refer to the quilt photo for sashing strip direction and starting and ending with one 4-1/2" Sashing Block. Sew together four sashing blocks and three sashing strips, alternating them to make one sashing row. Repeat to make four sashing rows.
11. Refer to the quilt photo for block and sashing strips placement to sew together two 8-1/2" Fabric A squares, one pinwheel block and four sashing strips to make the top block border, Repeat to make the bottom block border.
12. Refer to the quilt photo for block and placement to sew together one 8-1/2" Fabric A squares, two pinwheel blocks and four sashing strips to make the middle border.
13. Refer to the quilt photo for block and sashing placement and starting and ending with one sashing row, sew together the four sashing rows and three block rows, alternating them to make the quilt top.
14. Sew one 2" x 40-1/2" Fabric G strip to each side of the quilt top. Sew one 2" x 43-1/2" Fabric G strip to the top and bottom of the quilt top.
15. Layer, quilt and bind as desired.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

